


# CIRCC Study Guide

## 2010 Book Errata



Pages 1–12

Disregard Chapter 1 – Coding Essentials

*The first printing of the study guide includes Chapter 1—Coding Essentials, which covers modifiers, evaluation and management (E&M) codes, and diagnosis codes. Our intention was to delete this chapter from the 2010 edition because the CIRCC test does not include this information. Subscribers should disregard the contents of this chapter for purposes of the test.*

---

Page 16

Codes 36217 and 36218 should also be listed in the table at the top of this page as follows:

<b>Code</b>	<b>Description</b>	<b>Revenue Code</b>
36217	Selective catheter placement, arterial system; initial third order or more selective thoracic or brachiocephalic branch, within a vascular family	36x
36218	Selective catheter placement, arterial system; additional second order, third order, and beyond, thoracic or brachiocephalic branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	36x

---

Page 63

Code 75962 and its descriptor should be included in the box at the top as follows:

<b>Code</b>	<b>Description</b>	<b>Revenue Code</b>
75962	Transluminal balloon angioplasty, peripheral artery, radiological supervision and interpretation	32x

*You may visit the following link to view, download and print the updated page:*

<http://www.uptilt.com/content/4932/ProductUpdates/PCIRCC10-pg55.pdf>

Note: The page number on this link is 55, but it replaces page 63 of the CIRCC Study Guide.

---

Page 64

Various content revisions were made to the information provided on this page.

*You may visit the following link to view, download and print the updated page:*

<http://www.uptilt.com/content/4932/ProductUpdates/PCIRCC10-pg56.pdf>

Note: The page number on this link is 56, but it replaces page 64 of the CIRCC Study Guide.

---

Page 66

The description for code 60100 was corrected. It should be as follows:

<b>Code</b>	<b>Description</b>	<b>Revenue Code</b>
60100	Biopsy thyroid, percutaneous core needle	36x

*You may visit the following link to view, download and print the updated page:*

<http://www.uptilt.com/content/4932/ProductUpdates/PCIRCC10-pg58.pdf>

Note: The page number on this link is 58, but it replaces page 66 of the CIRCC Study Guide.

---

Page 67 – The descriptions for codes 32421 and 32422 were corrected. They should be as follows:

<b>Code</b>	<b>Description</b>	<b>Revenue Code</b>
32421	Thoracentesis, puncture of pleural cavity for aspiration, initial or subsequent	36x
32422	Thoracentesis with insertion of tube, includes water seal (eg, for pneumothorax), when performed (separate procedure)	36x

*You may visit the following link to view, download and print the updated page:*

<http://www.uptilt.com/content/4932/ProductUpdates/PCIRCC10-pg59.pdf>

Note: The page number on this link is 559, but it replaces page 67 of the CIRCC Study Guide.

---

---

---