ERRATA for Interventional Radiology Coding Reference 2018 Edition

Text deletions are crossed out. New text is **blue and bolded**. Ordered by appearance in text.

Page 246-247, Coding Instructions

31. Code 36002 is specific for thrombin injection to treat pseudoaneurysm. Ultrasound guidance is usually performed and is reported with code 76942. Use code 37242 when coil embolization is necessary. Use code 34807 34707 or 34808 34708 when a covered ilio-iliac stent graft is placed across an iliac pseudoaneurysm. Codes 34807 or 34808 34707 and 34708 are inpatient-only (status indicator C) for Medicare.

Page 345, Code Table

PROCEDURE DESCRIPTION	PROC CODE	APC	TOTAL RVU	S&I CODE	APC	TOTAL RVU
Open femoral artery exposure for delivery of endovascular prosthesis, by groin incision, unilateral (List separately in addition to code for primary procedure) (add -50 modifier for bilateral)	☆◆ 34812	N/A	6.02	N/A		

Page 352, Coding Instructions

37. Code 34812 describes femoral artery cutdown when necessary for access to perform EVAR, TEVAR, FEVAR, iliac stent graft placement, and percutaneous LVAD placement. If done bilaterally, append a -50 modifier report code 34812 twice.

Pages 533-534, Example(s)

1) Patient with suspicious calcifications in the upper outer quadrant of the right breast. Using stereotactic guidance, a vacuum-assisted biopsy is performed with sterile technique (19081). Three cores are removed. Calcifications are confirmed by specimen mammography (included). A marker clip is placed (included) and confirmed with orthogonal mammographic images (CO206) (77065).

Page 684, Appendix B

19284 34826 37232 50706 77002

Page 685, Appendix C

34705	34804
34706	34805
34707	34806
34708	34808
34709	34812
34710	34813
34711	34820

34712	34830
34800	34831
34802	34832
34803	34833

Code Index

34707	173, 242, 246, 247, 281, 283, 295, 347, 350, 352, 361, 364-366, 685
34708	242, 246 , 247 , 281, 283, 295, 296, 347, 350, 353, 361, 364-366, 685
34808	246, 247, 343, 352, 356, 357, 361, 684, 685