

# Dr. Z's Medical Coding Series Pain Management Coding Reference



By Jeffery S. Majchrzak, BA, CIRCC, RCC & David R. Zielske, MD, CIRCC, CCVTC, COC, CCC, CCS, RCC

> 2025 Ninth Edition

### **Table of Contents**

HOW TO USE THIS BOOK	1
CHAPTER 1: INTRODUCTION	3
CHAPTER 2: CODING BASICS	7
CHAPTER 3: PHYSICIAN PAYMENT BASICS	47
CHAPTER 4: HOSPITAL OUTPATIENT PROSPECTIVE PAYMENT SYSTEM	53
CHAPTER 5: NERVOUS SYSTEM ANATOMY AND PHYSIOLOGY	61
CHAPTER 6: NERVE BLOCKS	73
Imaging Guidance	73
Extracranial and Spinal Nerve Blocks	
Peripheral Nerve Blocks	
Nerve Blocks Above the Diaphragm	
Abdominal and Pelvic Nerve Blocks	
Upper Extremity Nerve Blocks	
Lower Extremity Nerve Blocks	92
Paraspinal Nerve Blocks	
Paravertebral Facet Joint Injections	
EPIDURAL/SUBARACHNOID INJECTIONS	
TRIGGER POINT AND TENDON SHEATH INJECTIONS	
JOINT AND CARPAL TUNNEL INJECTIONS	
CHAPTER 7: SPINE AND SPINAL CORD PROCEDURES	117
PERCUTANEOUS LYSIS OF EPIDURAL ADHESIONS	117
PERCUTANEOUS ASPIRATION AND BIOPSY	
Lumbar Puncture for Aspiration	
BLOOD PATCH	126
Chemonucleolysis	
DISCOGRAPHY AND DISC DECOMPRESSION	
Percutaneous Laminotomy/Laminectomy for Decompression of Neural Elements  Myelography	
CHAPTER 8: NERVE DESTRUCTION AND CHEMODENERVATION	
Nerve Destruction Overview	137
Extracranial Nerve Destruction	
Peripheral Nerve Destruction	
Spinal Nerve Destruction	
Facet Joint Nerve Destruction	
CHEMODENERVATION OVERVIEW	
Head and Neck Chemodenervation	152
Extremity Chemodenervation	
Trunk Muscle Chemodenervation	
Eccrine Glands Chemodenervation	
Other Chemodenervation	160

CHAPTER 9: IMPLANTABLE NEUROSTIMULATORS	163
Overview	163
PERCUTANEOUS AND OPEN VAGUS NERVE NEUROSTIMULATION (CRANIAL NERVE)	
LAPAROSCOPIC VAGUS NERVE NEUROSTIMULATION FOR OBESITY	
PHRENIC NERVE NEUROSTIMULATOR SYSTEM FOR TREATMENT OF CENTRAL SLEEP APNEA	170
Hypoglossal Nerve Neurostimulator for Treatment of Obstructive Sleep Apnea	173
Deep Brain Neurostimulation	175
Spinal Cord Neurostimulator	178
Sacral Nerve Neurostimulator	
Integrated Spinal Cord and Sacral Nerve Neurostimulator	
Gastric Neurostimulation	
Posterior Tibial Nerve Neurostimulation.	
Other Peripheral Nerve Neurostimulation	
Integrated Peripheral Nerve Neurostimulator	
Transcutaneous Neurostimulation and Transcutaneous Magnetic Stimulation	
Neuromuscular Neurostimulators	
Peripheral Field Stimulation (Subcutaneous) Neurostimulators	
Analysis and Programming of Neurostimulators	202
CHAPTER 10: IMPLANTABLE PUMPS FOR INTRATHECAL AND EPIDURAL	
DRUG DELIVERY	207
Overview	207
Spinal Pump Trial	
Spinal Pump Implantation	
Drug Delivery Pump Maintenance	
CHAPTER 11: DRUG CODES	
APPENDIX A - HCPCS CODES FOR SUPPLIES AND EQUIPMENT	221
APPENDIX B - IMPORTANT LINKS	224
APPENDIX C - EXCERPTS - NCCI POLICY MANUAL	226
APPENDIX D - CHARGE SHEETS	253
CODE INDEX	259

## Nervous System Anatom, and I hysiology

The nervous system consider of the pain, sinal ord, was organs as a lall of the nerves that connect these organs with the rest of the body. Together, these organs are responsible for the control of the body and communication among its parts. The brain and spinal cord make up the central nervous system, which controls the actions of all cranial and peripheral nervos. The peripheral nervous system includes somatic (sensory and motor) and autonomic nerves.

nervous sistem has the emon functions: sen bry, thegren on, and matter, the sistem of the received and example, then are is tubbed, signal sent to the court and an injury has occurred. The integration function of the next out system is the processing of the stimuli received and determination of the reaction. The motor function is the process of the central nervous system sending a signal to the remote site of how to react. This signal determines the response. It could be as simple as sending a pain signal resulting in verbally saying "ouch" to a one started pain signal resulting in not being able to we want hat for a

### CENTRAL MERKO SSTEM

The central in yours sistes (CNS) consists of the brain and spinal ord. The brain accountrols hodily that cans, including aware to an another expensions, sensations, moughns, specificand memory. The spinal cord can control reflex in vernents with out the brain's involvement, but the brain controls most functions.

The spinal cord is the continuation of the brainstem distally. Cranial nerves exit the brain through the brainstem, while peripheral nerves exit the spinal cord bilaterally as nerve roots to carry signals back and forth between the brain and the periphery.

### **Nerve Blocks Above the Diaphragm**

### PROCEDURE:

An intercostal nerve block is an injection of a steroid or other medication around the intercostal nerves that are located under each rib.

### CODES:

PROCEDURE DESCRIPTION	PROC CODE	APC	WORK RVU
Injection(s), anesthetic agent(s) are or steroic interestal in ve, sigle collection	64420	5442	1.08
Injection(s), anesthetic agent(s) a d/or steroid; integrated each additional level (List separately in addition to code for primal procedue)	<b>☆</b> 64421	5443	0.50
Unlisted procedure, nervous system	64999	5441	0.00

### ☆Add-on Code



### CODING INSTRUCTIONS:

- 1. Report code 64420 for in initia or sir conjection. In interpostal Zerve.
- 2. Report code 64421 for each add in all level lije ed.
- 3. If a single injection blocks several nerves, it is still reported as a single injection with code 64420.
- While rare, if a single needle is placed and manipulated to different sites for injection, the additional intercostal nerves treated be reported with code 64421
  - The oflater concept applies to codes 4420 and 64421. Append a 50, RT, or LT hodifies to the initial one who interposts here is are liper a bila scall on each ide. CIT's deline at moduler -50. The about the application of the description of t
- 6. Report unlisted code 64999 for injection of painful scar tissue following a mastectomy.

### KAM LE(S):

bs on the right s batient ol follov terilely preppe with alco oraPrep... aced in ion. guidance right side (ribs #9, #10, and a 6 is used for infiltration of skin and subcutaneous tissue above 1). Lidocaine each one of the three rib levers on the right side, and then a 22 gauge 3.5 inch spinal needle is advanced approximately 1 inch from the midline in a manner where the tip of the needle would be directed to the infracostal groove under fluoroscopic guidance. Aspiration is negative for CSF, negative for blood, and negative for air. Contrast is then injected with great spread of the dye in the the infracostal groove. Aspiration is still negative for CFS and blood. 3 mL of solution is injected per each level; total amount is 60 mg Depo-Medrol and 10 mL


### REFERENCES:

AMA, *CPTAssistant*, Sep 10:10, Nov 10:9, Jun 15:3, Dec 22:12&21, Jan 23:31, Apr 24:36, May 24:20, Aug 24:17, Nov 24:5

AMA, CPT Changes: An Insider's View, 2020

CMS, Medically Unlikely Edits Pain Book Evaluation Copy 2025

### Dr. Z's Medical Coding Series Pain Management Coding Reference



Jeffery Majchrzak



Code more accurately

Avoid coding compliance problems

Ensure proper reimbursement